

Document ID	Document Title	Direct URL	Doc Title URL
1234	SAMPLE DOCUMENT	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=1234	SAMPLE DOCUMENT
3016	TOX T-01 OCSO FSL Orientation	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3016	TOX T-01 OCSO FSL Orientation
3017	TOX T-02 OCSO FSL Safety	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3017	TOX T-02 OCSO FSL Safety
3018	TOX T-03 OCSO FSL Management System	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3018	TOX T-03 OCSO FSL Management System
3019	TOX T-04 Ethics, Bias and Error	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3019	TOX T-04 Ethics, Bias and Error
3020	TOX T-05 Justice Trax Part 1	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3020	TOX T-05 Justice Trax Part 1
3021	TOX T-06 General Forensic Science and History of Toxicology	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3021	TOX T-06 General Forensic Science and History of Toxicology
3022	TOX T-07 Drug and Alcohol Laws	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3022	TOX T-07 Drug and Alcohol Laws
3023	TOX T-08 General Pharmacology	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3023	TOX T-08 General Pharmacology
3024	TOX T-09 Pharmacology of Alcohol	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3024	TOX T-09 Pharmacology of Alcohol
3025	TOX T-10 Balances & Pipettes	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3025	TOX T-10 Balances & Pipettes
3026	TOX T-11 Pipettor Diluter	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3026	TOX T-11 Pipettor Diluter
3027	TOX T-12 Chemistry Analyzer	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3027	TOX T-12 Chemistry Analyzer
3028	TOX T-13 HS-GCFIDMS and Sample Analysis	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3028	TOX T-13 HS-GCFIDMS and Sample Analysis
3029	TOX T-14 Statistics and Quality Controls (Part 1)	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3029	TOX T-14 Statistics and Quality Controls (Part 1)
3031	TOX T-16 Uncertainty of Measurement	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3031	TOX T-16 Uncertainty of Measurement
3032	TOX T-17 Wintox CStar and Reporting	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3032	TOX T-17 Wintox CStar and Reporting
3033	TOX T-18 JusticeTrax Part 2 Case Documentation and Reporting	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3033	TOX T-18 JusticeTrax Part 2 Case Documentation and Reporting
3034	TOX T-19 Technical and Adminstrative Review - Presumptive Testing of Urine	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3034	TOX T-19 Technical and Adminstrative Review - Presumptive Testing of Urine
3035	TOX T-20 Tech Admin Review - BAC	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3035	TOX T-20 Tech Admin Review - BAC
3036	TOX T-21 Legal Issues and Expert Witness Testimony (Mock Trial)	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3036	TOX T-21 Legal Issues and Expert Witness Testimony (Mock Trial)
3037	TOX COMP-1 Presumptive Urine Testing	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3037	TOX COMP-1 Presumptive Urine Testing
3038	TOX COMP-2 Blood Alcohol Analysis	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3038	TOX COMP-2 Blood Alcohol Analysis
3083	A Comparison of BAC using Non-Alcohol and Alcohol Containing Skin Antiseptics	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3083	A Comparison of BAC using Non-Alcohol and Alcohol Containing Skin Antiseptics
3084	Alcohol loss arising from microbial contamination of drivers blood specimens	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3084	Alcohol loss arising from microbial contamination of drivers blood specimens
3085	Alcohol-based Hand Sanitizer-can frequent use cause elevated blood alcohol level	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3085	Alcohol-based Hand Sanitizer-can frequent use cause elevated blood alcohol level
3086	Alcohol-induced impairment of CNS function-Behavioral skills involved in driving	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3086	Alcohol-induced impairment of CNS function-Behavioral skills involved in driving
3087	Comparison Among Plasma Serum & Whole Blood EthanolConcentrations-Impact of Storage Conditions &Tubes	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3087	Comparison Among Plasma Serum & Whole Blood EthanolConcentrations-Impact of Storage Conditions &Tubes
3088	Comparison of Blood Ethanol Concentrations in Samples Simultaneously Collected into Expired & Unexpired Venipuncture Tubes	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3088	Comparison of Blood Ethanol Concentrations in Samples Simultaneously Collected into Expired & Unexpired Venipuncture Tubes
3089	Comparison of Immediate and Delayed Blood Alcohol Concentration Testing	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3089	Comparison of Immediate and Delayed Blood Alcohol Concentration Testing
3090	Determination of Volume of Distribution for Ethanol in Male & Female Subjects	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3090	Determination of Volume of Distribution for Ethanol in Male & Female Subjects
3091	Does the Clinical Use of Ethanol-based Hand Sanitizer Elevate Blood Alcohol Levels	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3091	Does the Clinical Use of Ethanol-based Hand Sanitizer Elevate Blood Alcohol Levels
3092	Isopropyl Alcohol Pad Use for Blood Ethanol Sampling Does Not Cause False Positive Results	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3092	Isopropyl Alcohol Pad Use for Blood Ethanol Sampling Does Not Cause False Positive Results
3093	Isopropyl Alcohol Skin Prep Pads- The Extreme Case	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3093	Isopropyl Alcohol Skin Prep Pads- The Extreme Case
3094	Stability of Ethanol in Human Whole Blood Controls-An Interlaboratory Evaluation	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3094	Stability of Ethanol in Human Whole Blood Controls-An Interlaboratory Evaluation
3095	Storage of Blood Samples Containing Alcohol	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3095	Storage of Blood Samples Containing Alcohol

3096	The Effect of Temperature on the formation of Ethanol by Candida Albicans in Blood	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3096
3097	The Stability of Ethanol in Stored Forensic Blood Samples	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3097
3098	The Alcohol Used for Cleansing the Venipuncture Site	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3098
3099	JAT 18-1-63 Effect of different concentration of NaF on BA Determination by HSGC using ISTD Method	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3099
3100	JAT 18-5-292 Salting-Out effect of NaF & influence on analysis of EtOH by HSGC	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3100
3101	JAT 35-7-501 Ethanol analysis by HSGC with simultaneous FID and MSD	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3101
3102	MSL 43-3-241 Blood Analysis by HSGC - Does a deficient sample volume distort etoh	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3102
3104	The Four Idols of Human Biases	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3104
3105	The Forensic Confirmation Bias - Comparison Between Experts and Novices	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3105
3106	Practicle Solutions to Cognitive Human Factors in Forensic Science	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3106
3107	ISO Standards Addressing Bias Impartiality Forensic Work	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3107
3108	Error and its Meaning in Forensic Science	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3108
3109	Cognitive Bias and Blindness	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3109
3111	MATCP 2nd Edition 2017	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3111
3112	SAMHSA Mandatory Guidelines Jan 2017	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3112
3113	MSP-FSD Alcohol and Drug Testing of Biological and Nonbiological Specimens	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3113
3114	MPHC Act 300 Section 257-624a	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3114
3115	MPHC Act 300 Section 257-624b	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3115
3116	MPHC Act 300 Section 257-625a-t	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3116
3117	MPHC Article 7	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3117
3118	MPHC Article 8	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3118
3119	Federal Controlled Substances Law	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3119
3120	GD 3150 Guiding Principles of Professional Responsibility for Forensic Service Providers and Forensic Personnel-6732-4	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3120
3122	Tutorial -CStar	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3122
3130	ANSI-ASB Best Practice Recommendation 037	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3130
3131	Why Do Daubert and Frye Standards Matter	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3131
3132	The Daubert Standard_ A Guide To Motions, Hearings, and Rulings	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3132
3133	Strengthening Forensic Science in the US A Path Forward	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3133
3135	Test Result Interpretation - Cannabinoid Issues_Passive Inhalation, Excretion Patterns, and Retention Times	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3135
3136	Test Result Interpretation - EMIT Drug Abuse Assays_How Accurate Are They	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3136
3137	Test Result Interpretation - FAQ About Syva's EMIT Drug-Abuse Tests	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3137
3139	The Marijuana Detection Window	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3139
3140	General Drugs of Abuse EtG and Its Utility in the Detection of Recent Alcohol Consumption	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3140
3167	TOX T-15 Statistics and Quality Control - Part 2	http://ocso-fsl.qualtraxcloud.com/showdocument.aspx?ID=3167

[The Effect of Temperature on the formation of Ethanol by Candida Albicans in Blood](#)
[The Stability of Ethanol in Stored Forensic Blood Samples](#)
[The Alcohol Used for Cleansing the Venipuncture Site](#)

[JAT 18-1-63 Effect of different concentration of NaF on BA Determination by HSGC using ISTD Method](#)

[JAT 18-5-292 Salting-Out effect of NaF & influence on analysis of EtOH by HSGC](#)

[JAT 35-7-501 Ethanol analysis by HSGC with simultaneous FID and MSD](#)

[MSL 43-3-241 Blood Analysis by HSGC - Does a deficient sample volume distort etoh](#)
[The Four Idols of Human Biases](#)

[The Forensic Confirmation Bias - Comparison Between Experts and Novices](#)

[Practicle Solutions to Cognitive Human Factors in Forensic Science](#)
[ISO Standards Addressing Bias Impartiality Forensic Work](#)
[Error and its Meaning in Forensic Science](#)
[Cognitive Bias and Blindness](#)
[MATCP 2nd Edition 2017](#)
[SAMHSA Mandatory Guidelines Jan 2017](#)

[MSP-FSD Alcohol and Drug Testing of Biological and Nonbiological Specimens](#)
[MPHC Act 300 Section 257-624a](#)
[MPHC Act 300 Section 257-624b](#)
[MPHC Act 300 Section 257-625a-t](#)
[MPHC Article 7](#)
[MPHC Article 8](#)
[Federal Controlled Substances Law](#)

[GD 3150 Guiding Principles of Professional Responsibility for Forensic Service Providers and Forensic Personnel-6732-4](#)
[Tutorial -CStar](#)
[ANSI-ASB Best Practice Recommendation 037](#)
[Why Do Daubert and Frye Standards Matter](#)

[The Daubert Standard_ A Guide To Motions, Hearings, and Rulings](#)
[Strengthening Forensic Science in the US A Path Forward](#)

[Test Result Interpretation - Cannabinoid Issues_Passive Inhalation, Excretion Patterns, and Retention Times](#)

[Test Result Interpretation - EMIT Drug Abuse Assays_How Accurate Are They](#)

[Test Result Interpretation - FAQ About Syva's EMIT Drug-Abuse Tests](#)
[The Marijuana Detection Window](#)

[General Drugs of Abuse EtG and Its Utility in the Detection of Recent Alcohol Consumption](#)
[TOX T-15 Statistics and Quality Control - Part 2](#)